INKCUPS

Page 1/9

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 04.12.2023

Version number 1.1 (replaces version 1.0)

Revision: 04.12.2023

1 Identification of the substance/mixture and of the company/undertaking

Product identifier

Trade name: Varnish UV Ink

Article number: ixS1-v

Application of the substance / the mixture Printing inks

Details of the supplier of the safety data sheet

Inkcups Now Corp 310 Andover Street Danvers, MA 01923 - USA 1-978-646-8980

Manufacturer/Supplier:

Inkcups Now Corp 310 Andover Street Danvers, MA 01923 USA

Further information obtainable from: compliance@inkcups.com **Emergency telephone number**: Verisk 3E Europe Non-Specific: +1 760 476 3962; Access Code: 335740

2 Hazards identification

Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008		
Acute Tox. 4	H302 Harmful if swallowed.	
Skin Corr. 1C	H314 Causes severe skin burns and eye damage.	
Eye Dam. 1	H318 Causes serious eye damage.	
Skin Sens. 1	H317 May cause an allergic skin reaction.	

Repr. 1B H360 May damage fertility or the unborn child.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation. Hazard pictograms



Signal word Danger

Hazard-determining components of labelling: 2-Propenoic acid, 2-[2-(ethenyloxy)ethoxy]ethyl ester Tetrahydrofurfuryl Acrylate 2-phenoxyethyl acrylate

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.12.2023

Version number 1.1 (replaces version 1.0)

Revision: 04.12.2023

Trade name: S1 Varnish

	(Contd. of page 1)
Diphenyl(2,4,6-t	rimethylbenzoyl)phosphine oxide
Neopentylglycol	(PO)2 Diacrylate
propylidynetrime	ethanol, propoxylated, esters with acrylic acid
Hazard stateme	
H302 Harmful if	Swallowed.
H314 Causes sev	vere skin burns and eye damage.
H317 May cause	an allergic skin reaction.
H360 May dama	ge fertility or the unborn child.
H411 Toxic to a	quatic life with long lasting effects.
Precautionary s	tatements
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P303+P361+P35	3 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or
	shower].
P305+P351+P33	88 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and
	easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P321	Specific treatment (see on this label).
P362+P364	Take off contaminated clothing and wash it before reuse.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
Additional inform	nation.

Additional information:

8 percent of the mixture consists of component(s) of unknown toxicity

Other hazards No additional information available.

3 Composition/information on ingredients

Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:

CAS: 86273-46-3	2-Propenoic acid, 2-[2-(ethenyloxy)ethoxy]ethyl ester	≥ 25 - ≤ 50%
	Acute Tox. 4, H302; Skin Sens. 1, H317; Aquatic Chronic 3, H412	
CAS: 48145-04-6	2-phenoxyethyl acrylate	≥ 10 - < 25%
	Repr. 2, H361; Aquatic Chronic 2, H411; Skin Sens. 1A, H317	
CAS: 84170-74-1	Neopentylglycol(PO)2 Diacrylate	2.5 - 10%
	Aquatic Chronic 2, H411; Skin Sens. 1, H317	
CAS: 2399-48-6	Tetrahydrofurfuryl Acrylate	≥ 5 - < 10%
	Repr. 1B, H360; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Sens. 1, H317	
CAS: 53879-54-2	propylidynetrimethanol, propoxylated, esters with acrylic acid	≥ 2.5 - < 10%
	Eye Irrit. 2, H319; Skin Sens. 1, H317	
CAS: 75980-60-8	Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	≥ 3 - ≤ 10%
EINECS: 278-355-8	Repr. 2, H361f	
Index number: 015-203-0		
SVHC		
75080 60 8 Dinhanul (2 A	6 trimethylhenzoyl)nhognhing gyide	

75980-60-8 Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

according to 1907/2006/EC, Article 31 Version number 1.1 (replaces version 1.0)

Printing date 04.12.2023

Trade name: S1 Varnish

(Contd. of page 2)

Revision: 04.12.2023

Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

Description of first aid measures

General information: Immediately remove any clothing soiled by the product.

After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact: Immediately wash with water and soap and rinse thoroughly.

After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.

Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Firefighting measures

Extinguishing media

Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

Special hazards arising from the substance or mixture No further relevant information available.

Advice for firefighters

Protective equipment: No special measures required.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

Information about fire - and explosion protection: Keep respiratory protective device available.

(Contd. on page 4)

_____ EU ___

according to 1907/2006/EC, Article 31

Printing date 04.12.2023

Version number 1.1 (replaces version 1.0)

Revision: 04.12.2023

(Contd. of page 3)

Trade name: S1 Varnish

Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Not required. Further information about storage conditions: Keep container tightly sealed. Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: The lists valid during the making were used as basis.

Exposure controls

Appropriate engineering controls No further data; see section 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use selfcontained respiratory protective device.

Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.


Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection



(Contd. on page 5)

- EU ---

Printing date 04.12.2023

Version number 1.1 (replaces version 1.0)

Revision: 04.12.2023

(Contd. of page 4)

Trade name: S1 Varnish

9 Physical and chemical properties

Information on basic physical and chemical properties	
General Information	
Physical state	Fluid
Colour:	Colourless
Odour:	Characteristic
Odour threshold:	Not determined.
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling range	
Flammability	Not applicable.
Lower and upper explosion limit	Not applicable.
Lower:	Not determined.
	Not determined.
Upper:	
Flash point:	Not applicable.
Decomposition temperature:	Not determined.
pH	Not determined.
Viscosity:	NT . 1
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Fully miscible.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density:	Not determined.
Relative density	Not determined.
Vapour density	Not determined.
Other information	
Appearance:	
Form:	Liquid
Important information on protection of health and	Elquid
environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
	Product los not present an explosion hazard.
Explosive properties: Change in condition	r roduct does not present an explosion nazard.
	Not determined.
Evaporation rate	Not determined.
Information with regard to physical hazard classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases	
in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Gamising sonus	(0
	(•

(Contd. on page 6) — EU —

according to 1907/2006/EC, Article 31

Printing date 04.12.2023

Version number 1.1 (replaces version 1.0)

Revision: 04.12.2023

Trade name: S1 Varnish

		(Contd. of page 5)
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

10 Stability and reactivity

Reactivity No further relevant information available.

Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Possibility of hazardous reactions No dangerous reactions known.

Conditions to avoid No further relevant information available.

Incompatible materials: No further relevant information available.

Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Harmful if swallowed.

LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral LD50 1,028 - 1,041 mg/kg

86273-46-3 2-Propenoic acid, 2-[2-(ethenyloxy)ethoxy]ethyl ester

Oral LD50 500 mg/kg (ATE)

2399-48-6 Tetrahydrofurfuryl Acrylate

Oral LD50 928 mg/kg (rat)

53879-54-2 propylidynetrimethanol, propoxylated, esters with acrylic acid

Oral LD50 > 2,000 mg/kg (rat)

Skin corrosion/irritation Causes severe skin burns and eye damage.

Serious eye damage/irritation Causes serious eye damage.

Respiratory or skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity May damage fertility or the unborn child.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Information on other hazards

Endocrine disrupting properties

541-02-6 Decamethylcyclopentasiloxane: List II

556-67-2 octamethylcyclotetrasiloxane: List II; III

540-97-6 dodecamethylcyclohexasiloxane: List II

12 Ecological information

Toxicity

Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available.

according to 1907/2006/EC, Article 31

Printing date 04.12.2023

Version number 1.1 (replaces version 1.0)

Revision: 04.12.2023

(Contd. of page 6)

Trade name: S1 Varnish

Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. Endocrine disrupting properties For information on endocrine disrupting properties see section 11. Other adverse effects Remark: Harmful to fish Additional ecological information: General notes: Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralised. Danger to drinking water if even small quantities leak into the ground. Harmful to aquatic organisms

13 Disposal considerations

Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

Recommended cleansing agents: Water, if necessary together with cleansing agents.

14 Transport information

UN number or ID number	
ADR, IMDG, IATA	UN3082
UN proper shipping name	
ADR	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
	LIQUID, N.O.S. (2-phenoxyethyl acrylate, Neopentylglycol(PO)2
	Diacrylate)
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
	N.O.S. (2-phenoxyethyl acrylate, Neopentylglycol(PO)2 Diacrylate),
	MARINE POLLUTANT
ΙΑΤΑ	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
	N.O.S. (2-phenoxyethyl acrylate, Neopentylglycol(PO)2 Diacrylate)
Transport hazard class(es)	
ADR, IMDG, IATA	



Class Label Packing group ADR, IMDG, IATA Environmental hazards: Marine pollutant: Special marking (ADR): Special marking (IATA): Special precautions for user 9 Miscellaneous dangerous substances and articles.

III

Symbol (fish and tree) Symbol (fish and tree) Symbol (fish and tree) Warning: Miscellaneous dangerous substances and articles.

(Contd. on page 8)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.12.2023

Version number 1.1 (replaces version 1.0)

Revision: 04.12.2023

Trade name: S1 Varnish

	(Contd. of page 7
Hazard identification number (Kemler coo	
EMS Number: Stowage Category	F-A,S-F A
Maritime transport in bulk according to IMO	
instruments	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
Transport category	3
Tunnel restriction code	(-)
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANC
	ΙΙΟΠΙΟ ΝΟ Ο ΙΖΡΗΕΝΟΥΥΕΤΗΥΙ ΛΟΡΥΙΛΤΗ
	NEOPENTYLGLYCOL(PO)2 DIACRYLATE), 9, III
Regulatory information	
6 Regulatory information Directive 2004/42/EC	LIQUID, N.O.S. (2-PHENOXYETHYL ACRYLATE NEOPENTYLGLYCOL(PO)2 DIACRYLATE), 9, III
Directive 2004/42/EC	NEOPENTYLGLYCOL(PO)2 DIACRYLATE), 9, III
Directive 2004/42/EC Directive 2012/18/EU	NEOPENTYLGLYCOL(PO)2 DIACRYLATE), 9, III
Directive 2004/42/EC Directive 2012/18/EU Named dangerous substances - ANNEX I 1	NEOPENTYLGLYCOL(PO)2 DIACRYLATE), 9, III
Directive 2004/42/EC Directive 2012/18/EU Named dangerous substances - ANNEX I I Seveso category E2 Hazardous to the Aquat Qualifying quantity (tonnes) for the applic Qualifying quantity (tonnes) for the applic	NEOPENTYLGLYCOL(PO)2 DIACRYLATE), 9, III None of the ingredients is listed. tic Environment eation of lower-tier requirements 200 t eation of upper-tier requirements 500 t
Directive 2004/42/EC Directive 2012/18/EU Named dangerous substances - ANNEX I I Seveso category E2 Hazardous to the Aquat Qualifying quantity (tonnes) for the applic Qualifying quantity (tonnes) for the applic REGULATION (EC) No 1907/2006 ANNEX	NEOPENTYLGLYCOL(PO)2 DIACRYLATE), 9, III None of the ingredients is listed. tic Environment eation of lower-tier requirements 200 t eation of upper-tier requirements 500 t (XVII Conditions of restriction: 3
Directive 2004/42/EC Directive 2012/18/EU Named dangerous substances - ANNEX I I Seveso category E2 Hazardous to the Aquat Qualifying quantity (tonnes) for the applic Qualifying quantity (tonnes) for the applic REGULATION (EC) No 1907/2006 ANNEX DIRECTIVE 2011/65/EU on the restriction	NEOPENTYLGLYCOL(PO)2 DIACRYLATE), 9, III None of the ingredients is listed. tic Environment eation of lower-tier requirements 200 t eation of upper-tier requirements 500 t
Directive 2004/42/EC Directive 2012/18/EU Named dangerous substances - ANNEX I I Seveso category E2 Hazardous to the Aquat Qualifying quantity (tonnes) for the applic Qualifying quantity (tonnes) for the applic REGULATION (EC) No 1907/2006 ANNEX	NEOPENTYLGLYCOL(PO)2 DIACRYLATE), 9, III None of the ingredients is listed. tic Environment eation of lower-tier requirements 200 t eation of upper-tier requirements 500 t (XVII Conditions of restriction: 3
Directive 2004/42/EC Directive 2012/18/EU Named dangerous substances - ANNEX I I Seveso category E2 Hazardous to the Aquat Qualifying quantity (tonnes) for the applic Qualifying quantity (tonnes) for the applic REGULATION (EC) No 1907/2006 ANNEX DIRECTIVE 2011/65/EU on the restriction equipment – Annex II None of the ingredients is listed.	NEOPENTYLGLYCOL(PO)2 DIACRYLATE), 9, III None of the ingredients is listed. tic Environment eation of lower-tier requirements 200 t eation of upper-tier requirements 500 t (XVII Conditions of restriction: 3
Directive 2004/42/EC Directive 2012/18/EU Named dangerous substances - ANNEX I I Seveso category E2 Hazardous to the Aquat Qualifying quantity (tonnes) for the applic Qualifying quantity (tonnes) for the applic REGULATION (EC) No 1907/2006 ANNEX DIRECTIVE 2011/65/EU on the restriction equipment – Annex II	NEOPENTYLGLYCOL(PO)2 DIACRYLATE), 9, III None of the ingredients is listed. tic Environment eation of lower-tier requirements 200 t eation of upper-tier requirements 500 t (XVII Conditions of restriction: 3
Directive 2004/42/EC Directive 2012/18/EU Named dangerous substances - ANNEX I I Seveso category E2 Hazardous to the Aquat Qualifying quantity (tonnes) for the applic Qualifying quantity (tonnes) for the applic REGULATION (EC) No 1907/2006 ANNEX DIRECTIVE 2011/65/EU on the restriction equipment – Annex II None of the ingredients is listed. REGULATION (EU) 2019/1148	NEOPENTYLGLYCOL(PO)2 DIACRYLATE), 9, III None of the ingredients is listed. ic Environment ration of lower-tier requirements 200 t ration of upper-tier requirements 500 t XVII Conditions of restriction: 3 of the use of certain hazardous substances in electrical and electron
Directive 2004/42/EC Directive 2012/18/EU Named dangerous substances - ANNEX I I Seveso category E2 Hazardous to the Aquat Qualifying quantity (tonnes) for the applic Qualifying quantity (tonnes) for the applic REGULATION (EC) No 1907/2006 ANNEX DIRECTIVE 2011/65/EU on the restriction equipment – Annex II None of the ingredients is listed. REGULATION (EU) 2019/1148	NEOPENTYLGLYCOL(PO)2 DIACRYLATE), 9, III None of the ingredients is listed. ic Environment ration of lower-tier requirements 200 t ration of upper-tier requirements 500 t XVII Conditions of restriction: 3 of the use of certain hazardous substances in electrical and electron
Directive 2004/42/EC Directive 2012/18/EU Named dangerous substances - ANNEX I I Seveso category E2 Hazardous to the Aquat Qualifying quantity (tonnes) for the applic Qualifying quantity (tonnes) for the applic REGULATION (EC) No 1907/2006 ANNEX DIRECTIVE 2011/65/EU on the restriction equipment – Annex II None of the ingredients is listed. REGULATION (EU) 2019/1148 Annex I - RESTRICTED EXPLOSIVES I	NEOPENTYLGLYCOL(PO)2 DIACRYLATE), 9, III None of the ingredients is listed. ic Environment ration of lower-tier requirements 200 t ration of upper-tier requirements 500 t XVII Conditions of restriction: 3 of the use of certain hazardous substances in electrical and electron
Directive 2004/42/EC Directive 2012/18/EU Named dangerous substances - ANNEX I I Seveso category E2 Hazardous to the Aquat Qualifying quantity (tonnes) for the applic Qualifying quantity (tonnes) for the applic REGULATION (EC) No 1907/2006 ANNEX DIRECTIVE 2011/65/EU on the restriction equipment – Annex II None of the ingredients is listed. REGULATION (EU) 2019/1148 <u>Annex I - RESTRICTED EXPLOSIVES I</u> Article 5(3))	NEOPENTYLGLYCOL(PO)2 DIACRYLATE), 9, III None of the ingredients is listed. ic Environment ration of lower-tier requirements 200 t ration of upper-tier requirements 500 t XVII Conditions of restriction: 3 of the use of certain hazardous substances in electrical and electron PRECURSORS (Upper limit value for the purpose of licensing under PRECURSORS (Upper limit value for the purpose of licensing under
Directive 2004/42/EC Directive 2012/18/EU Named dangerous substances - ANNEX I I Seveso category E2 Hazardous to the Aquat Qualifying quantity (tonnes) for the applic Qualifying quantity (tonnes) for the applic REGULATION (EC) No 1907/2006 ANNEX DIRECTIVE 2011/65/EU on the restriction equipment – Annex II None of the ingredients is listed. REGULATION (EU) 2019/1148 <u>Annex I - RESTRICTED EXPLOSIVES I</u> Article 5(3)) None of the ingredients is listed. <u>Annex II - REPORTABLE EXPLOSIVES</u>	NEOPENTYLGLYCOL(PO)2 DIACRYLATE), 9, III None of the ingredients is listed. ic Environment ration of lower-tier requirements 200 t ration of upper-tier requirements 500 t XVII Conditions of restriction: 3 of the use of certain hazardous substances in electrical and electron PRECURSORS (Upper limit value for the purpose of licensing under PRECURSORS (Upper limit value for the purpose of licensing under
Directive 2004/42/EC Directive 2012/18/EU Named dangerous substances - ANNEX I I Seveso category E2 Hazardous to the Aquat Qualifying quantity (tonnes) for the applic Qualifying quantity (tonnes) for the applic REGULATION (EC) No 1907/2006 ANNEX DIRECTIVE 2011/65/EU on the restriction equipment – Annex II None of the ingredients is listed. REGULATION (EU) 2019/1148 <u>Annex I - RESTRICTED EXPLOSIVES I</u> Article 5(3)) None of the ingredients is listed.	NEOPENTYLGLYCOL(PO)2 DIACRYLATE), 9, III None of the ingredients is listed. ic Environment ation of lower-tier requirements 200 t ation of upper-tier requirements 500 t XVII Conditions of restriction: 3 of the use of certain hazardous substances in electrical and electron PRECURSORS (Upper limit value for the purpose of licensing under PRECURSORS

108-88-3 Toluene: 3

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

108-88-3 Toluene: 3

National regulations:

Other regulations, limitations and prohibitive regulations

Substances of very high concern (SVHC) according to REACH, Article 57

75980-60-8 Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

according to 1907/2006/EC, Article 31 Version number 1.1 (replaces version 1.0)

Printing date 04.12.2023

Trade name: S1 Varnish

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

6 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.

H360 May damage fertility or the unborn child.

- H361 Suspected of damaging fertility or the unborn child.
- H361f Suspected of damaging fertility.
- H411 Toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.
- **Date of previous version:** 15.09.2022

Version number of previous version: 1.0

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- SVHC: Substances of Very High Concern
- vPvB: very Persistent and very Bioaccumulative
- Acute Tox. 4: Acute toxicity Category 4 Skin Corr. 1C: Skin corrosion/irritation – Category 1C
- Skin Corr. IC: Skin corrosion/irritation Category I
- Eye Dam. 1: Serious eye damage/eye irritation Category 1
- Eye Irrit. 2: Serious eye damage/eye irritation Category 2
- Skin Sens. 1: Skin sensitisation Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A
- Repr. 1B: Reproductive toxicity Category 1B
- Repr. 2: Reproductive toxicity Category 2
- Repr. 2: Reproductive toxicity Category 2
- Aquatic Chronic 2: Hazardous to the aquatic environment long-term aquatic hazard Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3
- * Data compared to the previous version altered.



Revision: 04.12.2023

(Contd. of page 8)