INKCUPS

Page 1/10

US —

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Printing date 01/20/2023

Version: 1.0

Reviewed on 01/20/2023

1 Identification

Product identifier

Product name: Vivid White XFlexx UV LED Ink

Article number: ixF-vividwhite

Details of the supplier of the safety data sheet Inkcups Now Corp. 310 Andover St Danvers, MA 01923 USA 1-978-646-8980 Manufacturer/Supplier:

Inkcups Now Corp.

310 Andover St

Danvers, MA 01923 USA

Information department: compliance@inkcups.com Emergency telephone number: Verisk 3E US & Canada: +1 866 519 4752; Access Code: 335740

2 Hazard(s) identification

Classification of the substance or mixture

Skin Corr. 1C H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Repr. 1B H360 May damage fertility or the unborn child.

Label elements

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). **Hazard pictograms**



Signal word Danger

Hazard-determining components of labeling:

Tetrahydrofurfuryl Acrylate 2-phenoxyethyl acrylate 3,3,5-Trimethylcyclohexyl acrylate Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide Isobournyl Acrylate propylidynetrimethanol, propoxylated, esters with acrylic acid hexamethylene diacrylate **Hazard statements** Causes severe skin burns and eye damage. May cause an allergic skin reaction. May damage fertility or the unborn child. Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Printing date 01/20/2023

Version: 1.0

Reviewed on 01/20/2023

Product name: Vivid White XFlexx UV LED Ink

Precautionary statements

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dusts or mists. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. IF exposed or concerned: Get medical advice/attention. Specific treatment (see on this label). If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

3 Composition/information on ingredients

Chemical characterization: Mixtures

Description: Mixture of the substances listed below with nonhazardous additions.

Dangerous components:	
2399-48-6 Tetrahydrofurfuryl Acrylate	10 - 25%
Repr. 1B, H360; Skin Corr. 1C, H314; Eye Dam. 1, H318; Acute Tox. 4, H302; Skin Sens. 1, H317; Flam. Liq. 4, H227	
13463-67-7 titanium dioxide	$\geq 10 - \leq 25\%$
Carc. 2, H351	
48145-04-6 2-phenoxyethyl acrylate	≥ 10 - ≤ 25%
Repr. 2, H361; Skin Sens. 1A, H317	
86178-38-3 3,3,5-Trimethylcyclohexyl acrylate	10 - 25%
Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1B, H317; STOT SE 3, H336	
5888-33-5 Isobournyl Acrylate	2.5 - 10%
Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317; STOT SE 3, H335	
75980-60-8 Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	2.5 - 10%
Repr. 2, H361	
53879-54-2 propylidynetrimethanol, propoxylated, esters with acrylic acid	≤ 2.5%
Eye Irrit. 2A, H319; Skin Sens. 1, H317	
122-99-6 2-Phenoxyethanol	$\geq 0 - \leq 2.5\%$
Acute Tox. 4, H302; Eye Irrit. 2A, H319	
13048-33-4 hexamethylene diacrylate	$\geq 0 - \leq 2.5\%$
Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317	

4 First-aid measures

Description of first aid measures

General information: Immediately remove any clothing soiled by the product.

US —

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Printing date 01/20/2023

Version: 1.0

Reviewed on 01/20/2023

Product name: Vivid White XFlexx UV LED Ink

After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact: Immediately wash with water and soap and rinse thoroughly.

After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.

Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents: Use fire fighting measures that suit the environment.

Special hazards arising from the substance or mixture No further relevant information available.

Advice for firefighters

Protective equipment: No special measures required.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

Information about protection against explosions and fires: Keep respiratory protective device available.

Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: Keep receptacle tightly sealed.

US -

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Printing date 01/20/2023

Version: 1.0

Reviewed on 01/20/2023

Product name: Vivid White XFlexx UV LED Ink

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see item 7.

Control parameters

Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

13048-33-4 hexamethylene diacrylate

WEEL Long-term value: 1 mg/m³

DSEN

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Tightly sealed goggles

US —

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Printing date 01/20/2023

Version: 1.0

Reviewed on 01/20/2023

Product name: Vivid White XFlexx UV LED Ink

9 Physical and chemical properties

Information on basic physical and che General Information	mical properties
Appearance: Form: Color: Odor: Odor threshold:	Liquid White Characteristic Not determined.
pH-value:	Not determined.
Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. Undetermined.
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not applicable.
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits: Lower: Upper:	Not determined. Not determined.
Vapor pressure:	Not determined.
Density: Relative density Vapor density Evaporation rate	Not determined. Not determined. Not determined. Not determined.
Solubility in / Miscibility with Water:	Fully miscible.
Partition coefficient (n-octanol/wate	r): Not determined.
Viscosity: Dynamic: Kinematic:	Not determined. Not determined.
Other information	No further relevant information available.

10 Stability and reactivity

Reactivity No further relevant information available.
Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Possibility of hazardous reactions No dangerous reactions known.
Conditions to avoid No further relevant information available.
Incompatible materials: No further relevant information available.
Hazardous decomposition products: No dangerous decomposition products known.

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Printing date 01/20/2023

Version: 1.0

Reviewed on 01/20/2023

Product name: Vivid White XFlexx UV LED Ink

1 Toxicological information

Information on toxicological effects

Acute toxicity:

LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral LD50 4,258 - 4,481 mg/kg (rat)

2399-48-6 Tetrahydrofurfuryl Acrylate

Oral LD50 928 mg/kg (rat)

13463-67-7 titanium dioxide

Oral LD50 > 20,000 mg/kg (rat)

Dermal LD50 > 10,000 mg/kg (rabbit)

Inhalative LC50/4 h > 6.82 mg/l (rat)

53879-54-2 propylidynetrimethanol, propoxylated, esters with acrylic acid

Oral LD50 > 2,000 mg/kg (rat)

122-99-6 2-Phenoxyethanol

Oral LD50 1,260 mg/kg (rat)

Dermal LD50 5,000 mg/kg (rabbit)

13048-33-4 hexamethylene diacrylate

Oral LD50 > 5,000 mg/kg (rat)

Dermal LD50 > 3,000 mg/kg (rab)

Primary irritant effect:

on the skin: Strong caustic effect on skin and mucous membranes.

on the eye: Strong caustic effect.

Sensitization: Sensitization possible through skin contact.

Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

Carcinogenic categories

IARC (International Agency for Research on Cancer)

13463-67-7 titanium dioxide: 2B

108-88-3 Toluene: 3

100-41-4 ethylbenzene: 2B

127-19-5 N,N-dimethylacetamide: 2B

NTP (National Toxicology Program)

None of the ingredients is listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

Toxicity

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Printing date 01/20/2023

Version: 1.0

Reviewed on 01/20/2023

Product name: Vivid White XFlexx UV LED Ink

Behavior in environmental systems:
Bioaccumulative potential No further relevant information available.
Mobility in soil No further relevant information available.
Ecotoxical effects:
Remark: Toxic for fish
Additional ecological information:
General notes:
Water hazard class 3 (Self-assessment): extremely hazardous for water
Do not allow product to reach ground water, water course or sewage system, even in small quantities.
Must not reach bodies of water or drainage ditch undiluted or unneutralized.
Danger to drinking water if even extremely small quantities leak into the ground.
Also poisonous for fish and plankton in water bodies.
Toxic for aquatic organisms
Results of PBT and vPvB assessment
PBT: Not applicable.
vPvB: Not applicable.
Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations. Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

UN-Number	
DOT	not regulated
IMDG, IATA	UN3082
UN proper shipping name	
DOT	not regulated
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
	N.O.S. (Tetrahydrofurfuryl Acrylate, 2-phenoxyethyl acrylate), MARINE POLLUTANT
ΙΑΤΑ	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
IAIA	N.O.S. (Tetrahydrofurfuryl Acrylate, 2-phenoxyethyl acrylate)
Transport hazard class(es)	N.O.S. (Tetranyarorariary) Acrylate, 2-phenoxyetinyi acrylate)
-	
DOT	
Class	not regulated
IMDG, IATA	
Class	9 Miscellaneous dangerous substances and articles
Class Label	9 Miscellaneous dangerous substances and articles 9
Label Packing group	9
Label	

Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Printing date 01/20/2023 Version: 1.0

Reviewed on 01/20/2023

Product name: Vivid White XFlexx UV LED Ink

IMDG, IATA	III
Environmental hazards:	
Marine pollutant:	Symbol (fish and tree)
Special marking (IATA):	Symbol (fish and tree)
Special precautions for user	Warning: Miscellaneous dangerous substances and articles
Hazard identification number (Kem	ler code): 90
EMS Number:	F-A,S-F
Stowage Category	A
Transport in bulk according to Annex I	I of
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANC
5	LIQUID, N.O.S. (TETRAHYDROFURFURYL ACRYLATE,
	PHENOXYETHYL ACRYLATE), 9, III

15 Regulatory information

Section 355 (extremely hazardous substances):	
one of the ingredients is listed. Section 313 (Specific toxic chemical listings):	
2-99-6 2-Phenoxyethanol	
TSCA (Toxic Substances Control Act):	
463-67-7 titanium dioxide: ACTIVE	
145-04-6 2-phenoxyethyl acrylate: ACTIVE	
178-38-3 3,3,5-Trimethylcyclohexyl acrylate: ACTIVE	
888-33-5 Isobournyl Acrylate: ACTIVE	
980-60-8 Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide: ACTIVE	
879-54-2 propylidynetrimethanol, propoxylated, esters with acrylic acid: ACTIVE	
122-99-6 2-Phenoxyethanol: ACTIVE	
048-33-4 hexamethylene diacrylate: ACTIVE	
Hazardous Air Pollutants	
8-88-3 Toluene	
0-41-4 ethylbenzene	
Proposition 65	
Chemicals known to cause cancer:	
463-67-7 titanium dioxide	
100-41-4 ethylbenzene	
127-19-5 N,N-dimethylacetamide	
Chemicals known to cause reproductive toxicity for females:	

Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Printing date 01/20/2023

Version: 1.0

Reviewed on 01/20/2023

Product name: Vivid White XFlexx UV LED Ink

Chemic	als known to cause reproductive toxicity for males:
_	J-dimethylacetamide
Chemic	als known to cause developmental toxicity:
108-88-3 Tol	uene
127-19-5 N,N	J-dimethylacetamide
	enic categories nvironmental Protection Agency)
110-82-7 cyc	lohexane: I
108-88-3 Tol	uene: II
100-41-4 eth	/lbenzene: D
TLV (T	hreshold Limit Value)
13463-67-7 t	itanium dioxide: A4
108-88-3 7	Coluene: A4
100-41-4 e	thylbenzene: A3
	J,N-dimethylacetamide: A4
-	-Ca (National Institute for Occupational Safety and Health)
	itanium dioxide
	elements The product is classified and labeled according to the Globally Harmonized System (GHS).
nazaru p	ictograms
PGU	
<u> </u>	
GHS05	GHS07 GHS08
Signal wo	ord Danger
Hazard-d	letermining components of labeling:
	ofurfuryl Acrylate
	yethyl acrylate
	nethylcyclohexyl acrylate 2,4,6-trimethylbenzoyl)phosphine oxide
	1 Acrylate
	netrimethanol, propoxylated, esters with acrylic acid
hexameth	ylene diacrylate
	tatements
	vere skin burns and eye damage.
	e an allergic skin reaction. age fertility or the unborn child.
	onary statements
	ecial instructions before use.
	ndle until all safety precautions have been read and understood.
	eathe dusts or mists.
	roughly after handling. ated work clothing must not be allowed out of the workplace.
	tective gloves/protective clothing/eye protection/face protection.
	ved: Rinse mouth. Do NOT induce vomiting.
If on skin	(or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
	ED: Remove person to fresh air and keep comfortable for breathing.
	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Contin
rinsing.	ely call a poison center/doctor.
Immediate	ely call a poison center/doctor

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Printing date 01/20/2023

Version: 1.0

Reviewed on 01/20/2023

Product name: Vivid White XFlexx UV LED Ink

IF exposed or concerned: Get medical advice/attention. Specific treatment (see on this label). If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H227 Combustible liquid.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- H336 May cause drowsiness or dizziness.
- H351 Suspected of causing cancer.
- H360 May damage fertility or the unborn child.
- H361 Suspected of damaging fertility or the unborn child.

Contact:

Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flam. Liq. 4: Flammable liquids - Category 4 Acute Tox. 4: Acute toxicity - Category 4 Skin Corr. 1C: Skin corrosion/irritation - Category 1C Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Skin Sens. 1: Skin sensitisation - Category 1 Skin Sens. 1A: Skin sensitisation - Category 1A Skin Sens. 1B: Skin sensitisation - Category 1B Carc. 2: Carcinogenicity - Category 2 Repr. 1B: Reproductive toxicity - Category 1B Repr. 2: Reproductive toxicity - Category 2 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

* Data compared to the previous version altered.

- US —