INKCUPS

Page 1/10

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 10.01.2025

Version number 1.0

Revision: 10.01.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: White UV Cure Ink

Article number: XFLEXX

1.2 Relevant identified uses of the substance or mixture and uses advised against Product category XFLEXX Ink and toners Application of the substance / the mixture Printing inks

1.3 Details of the supplier of the safety data sheet Inkcups Now Corp
310 Andover Street
Danvers, MA 01923 USA
+1 978 646 8980
Manufacturer/Supplier: Inkcups Now Corp
310 Andover Street
Danvers, MA 01923 USA
+1 978 646 8980

Further information obtainable from: compliance@inkcups.com **1.4 Emergency telephone number:** Verisk 3E Europe Non-Specific: +1 760 476 3962; Access Code: 335740

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

| Classification according to Regulation (EC) No 1272/2008 | | |
|--|---|--|
| Acute Tox. 4 | H302 Harmful if swallowed. | |
| Skin Corr. 1C | H314 Causes severe skin burns and eye damage. | |
| Eye Dam. 1 | H318 Causes serious eye damage. | |
| Skin Sens. 1 | H317 May cause an allergic skin reaction. | |
| Repr. 1B | H360 May damage fertility or the unborn child. | |
| Aquatic Chronic 2 | 2 H411 Toxic to aquatic life with long lasting effects. | |

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation. Hazard pictograms



Signal word Danger

Version number 1.0

Revision: 10.01.2025

(Contd. of page 1)

Trade name: White UV Cure Ink

Printing date 10.01.2025

| | (Contat of page 1) |
|-------------------|---|
| Hazard-determ | ining components of labelling: |
| Tetrahydrofurfur | |
| | I, 2-[2-(ethenyloxy)ethoxy]ethyl ester |
| Dipropylene glyo | |
| 2-phenoxyethyl a | |
| | imethylbenzoyl)phosphine oxide |
| | ethanol, propoxylated, esters with acrylic acid |
| | nediphenol, oligometric reaction products with 1-chloro-2,3-epoxypropane, esters with acrylic acid |
| Hazard stateme | |
| H302 Harmful if | Swallowed. |
| H314 Causes sev | vere skin burns and eye damage. |
| | an allergic skin reaction. |
| | ge fertility or the unborn child. |
| H411 Toxic to a | quatic life with long lasting effects. |
| Precautionary s | statements |
| P101 | If medical advice is needed, have product container or label at hand. |
| P102 | Keep out of reach of children. |
| P103 | Read carefully and follow all instructions. |
| P264 | Wash thoroughly after handling. |
| P270 | Do not eat, drink or smoke when using this product. |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. |
| P303+P361+P35 | 53 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or |
| | shower]. |
| P305+P351+P33 | 38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and |
| | easy to do. Continue rinsing. |
| P310 | Immediately call a POISON CENTER/doctor. |
| P321 | Specific treatment (see on this label). |
| P362+P364 | Take off contaminated clothing and wash it before reuse. |
| P405 | Store locked up. |
| P501 | Dispose of contents/container in accordance with local/regional/national/international regulations. |
| 2.2 Other hereads | No additional information available |

2.3 Other hazards No additional information available.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:

| CAS: 2399-48-6 | Tetrahydrofurfuryl Acrylate | 25 - 50% |
|----------------------------|--|-------------------|
| | Repr. 1B, H360; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Sens. 1, H317 | |
| CAS: 13463-67-7 | titanium dioxide | ≥ 10 - ≤ 25% |
| EINECS: 236-675-5 | Carc. 2, H351 | |
| Index number: 022-006-00-2 | | |
| CAS: 86273-46-3 | 2-Propenoic acid, 2-[2-(ethenyloxy)ethoxy]ethyl ester | ≥ 10 - < 25% |
| | Acute Tox. 4, H302; Skin Sens. 1, H317; Aquatic Chronic 3, H412 | |
| CAS: 48145-04-6 | 2-phenoxyethyl acrylate | ≥ 10 - < 25% |
| | Repr. 2, H361; Aquatic Chronic 2, H411; Skin Sens. 1A, H317 | |
| CAS: 57472-68-1 | Dipropylene glycol diacrylate | ≥ 3 - < 10% |
| | Eye Dam. 1, H318; Skin Irrit. 2, H315; Skin Sens. 1, H317 | |
| CAS: 75980-60-8 | diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide | 2.5 - 10% |
| EINECS: 278-355-8 | Repr. 1B, H360Fd; Skin Sens. 1B, H317 | |
| Index number: 015-203-00-X | | |
| | | (Contd on page 3) |

Printing date 10.01.2025 Version number 1.0

Revision: 10.01.2025

Trade name: White UV Cure Ink

| | | (Contd. of page 2) |
|-----------------|--|--------------------|
| CAS: 53879-54-2 | propylidynetrimethanol, propoxylated, esters with acrylic acid | ≥ 2.5 - < 10% |
| | Eye Irrit. 2, H319; Skin Sens. 1, H317 | |
| CAS: 55818-57-0 | 4,4'-isopropylidenediphenol, oligomeric reaction products with 1-chloro- epoxypropane, esters with acrylic acid | -2,3- ≥ 0.1 - < 1% |
| SVHC | Skin Sens. 1, H317 | |

75980-60-8 diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact: Immediately wash with water and soap and rinse thoroughly.

After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

Call for a doctor immediately.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment: No special measures required.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

Version number 1.0

Printing date 10.01.2025

Trade name: White UV Cure Ink

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

Information about fire - and explosion protection: Keep respiratory protective device available.

- 7.2 Conditions for safe storage, including any incompatibilities
 - Storage:

Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Not required.

Further information about storage conditions: Keep container tightly sealed.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Appropriate engineering controls No further data; see section 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use selfcontained respiratory protective device.

Hand protection



The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. of page 3)

Revision: 10.01.2025

[—] EU —

Printing date 10.01.2025

Version number 1.0

Revision: 10.01.2025


Trade name: White UV Cure Ink

(Contd. of page 4)

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection



SECTION 9: Physical and chemical properties

| Physical state | Liquid |
|--|---|
| Colour: | White |
| Odour: | Characteristic |
| Odour threshold: | Not determined. |
| Melting point/freezing point: | Undetermined. |
| Boiling point or initial boiling point and boiling range | Undetermined. |
| Flammability | Not applicable. |
| Lower and upper explosion limit | |
| Lower: | Not determined. |
| Upper: | Not determined. |
| Flash point: | Not applicable. |
| Decomposition temperature: | Not determined. |
| рН | Not determined. |
| Viscosity: | |
| Kinematic viscosity | Not determined. |
| Dynamic: | Not determined. |
| Solubility | |
| water: | Not miscible or difficult to mix. |
| Partition coefficient n-octanol/water (log value) | Not determined. |
| Vapour pressure: | Not determined. |
| Density and/or relative density | |
| Density: | Not determined. |
| Relative density | Not determined. |
| Vapour density | Not determined. |
| 9.2 Other information | |
| Appearance: | |
| Form: | Liquid |
| Important information on protection of health and | |
| environment, and on safety. | |
| Ignition temperature: | Product is not selfigniting. |
| Explosive properties: | Product does not present an explosion hazard. |
| Change in condition | |
| Evaporation rate | Not determined. |
| Information with regard to physical hazard classes | |
| Explosives | Void |
| Flammable gases | Void |
| Aerosols | Void |
| Oxidising gases | Void |
| Gases under pressure | Void |
| - | (0 |
| | |

Version number 1.0

Revision: 10.01.2025

Trade name: White UV Cure Ink

Printing date 10.01.2025

| | | (Contd. of pa |
|---|-----------|---------------|
| Flammable liquids | Void | |
| Flammable solids | Void | |
| Self-reactive substances and mixtures | Void | |
| Pyrophoric liquids | Void | |
| Pyrophoric solids | Void | |
| Self-heating substances and mixtures | Void | |
| Substances and mixtures, which emit flammal | ole gases | |
| in contact with water | Void | |
| Oxidising liquids | Void | |
| Oxidising solids | Void | |
| Organic peroxides | Void | |
| Corrosive to metals | Void | |
| Desensitised explosives | Void | |

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Harmful if swallowed.

LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral LD50 1,484 - 1,493 mg/kg

2399-48-6 Tetrahydrofurfuryl Acrylate

Oral LD50 928 mg/kg (rat)

13463-67-7 titanium dioxide

Oral LD50 > 20,000 mg/kg (rat)

Dermal LD50 > 10,000 mg/kg (rabbit)

Inhalative LC50/4 h > 6.82 mg/l (rat)

86273-46-3 2-Propenoic acid, 2-[2-(ethenyloxy)ethoxy]ethyl ester

Oral LD50 500 mg/kg (ATE)

53879-54-2 propylidynetrimethanol, propoxylated, esters with acrylic acid

Oral LD50 > 2,000 mg/kg (rat)

Primary irritant effect:

Skin corrosion/irritation Causes severe skin burns and eye damage.

Serious eye damage/irritation Causes serious eye damage.

Respiratory or skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity May damage fertility or the unborn child.

STOT-single exposure Based on available data, the classification criteria are not met.

(Contd. on page 7)

Printing date 10.01.2025

Version number 1.0

Revision: 10.01.2025

(Contd. of page 6)

Trade name: White UV Cure Ink

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards Endocrine disrupting properties

541-02-6 Decamethylcyclopentasiloxane: List II

556-67-2 octamethylcyclotetrasiloxane: List II; III

540-97-6 dodecamethylcyclohexasiloxane: List II

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.

12.7 Other adverse effects

Remark: Toxic for fish

Additional ecological information:

General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

14.1 UN number or ID number ADR, IMDG, IATA14.2 UN proper shipping name ADR

UN3082

3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Tetrahydrofurfuryl Acrylate, 2-phenoxyethyl acrylate)

(Contd. on page 8)

— EU —

Printing date 10.01.2025

Version number 1.0

Revision: 10.01.2025

| rade name: White UV Cure Ink | |
|--|---|
| IMDG IATA | (Contd. of page 7 ENVIRONMENTALLY HAZARDOUS SUBSTANCE LIQUID, N.O.S. (Tetrahydrofurfuryl Acrylate, 2-phenoxyethy acrylate), MARINE POLLUTANT ENVIRONMENTALLY HAZARDOUS SUBSTANCE LIQUID, N.O.S. (Tetrahydrofurfuryl Acrylate, 2-phenoxyethy acrylate) |
| 14.3 Transport hazard class(es) | • • |
| ADR, IMDG, IATA | |
| | |
| Class Label | 9 Miscellaneous dangerous substances and articles.9 |
| 14.4 Packing group ADR, IMDG, IATA | III |
| 14.5 Environmental hazards: | 111 |
| Marine pollutant: | Symbol (fish and tree) |
| Special marking (ADR): | Symbol (fish and tree) |
| Special marking (IATA): | Symbol (fish and tree) |
| 14.6 Special precautions for user Hazard identification number (Kemler code): | Warning: Miscellaneous dangerous substances and articles. 90 |
| EMS Number: | F-A,S-F |
| Stowage Category | A |
| 14.7 Maritime transport in bulk according to IMC |) |
| instruments | Not applicable. |
| Transport/Additional information: | |
| ADR Limited quantities (LQ) Excepted quantities (EQ) | 5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml |
| Transport category Tunnel restriction code | 3 (-) |
| IMDG | |
| Limited quantities (LQ) | 5L |
| Excepted quantities (EQ) | Code: E1 Maximum net quantity per inner packaging: 30 ml |
| UN "Model Regulation": | Maximum net quantity per outer packaging: 1000 ml UN 3082 ENVIRONMENTALLY HAZARDOU SUBSTANCE, LIQUID, N.O.S. (TETRAHYDROFURFURY ACRYLATE, 2-PHENOXYETHYL ACRYLATE), 9, III |

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

Seveso category E2 Hazardous to the Aquatic Environment

Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t

Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t

Printing date 10.01.2025

Version number 1.0

Revision: 10.01.2025

Trade name: White UV Cure Ink

| (Contd. of page 8) |
|---|
| REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3 |
| DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic |
| equipment – Annex II |
| None of the ingredients is listed. |
| REGULATION (EU) 2019/1148 |
| Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3)) |
| |
| None of the ingredients is listed. Annex II - REPORTABLE EXPLOSIVES PRECURSORS |
| |
| None of the ingredients is listed. |
| Regulation (EC) No 273/2004 on drug precursors |
| 108-88-3 Toluene: 3 |
| Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third |
| countries in drug precursors |
| 108-88-3 Toluene: 3 |
| National regulations: |
| Other regulations, limitations and prohibitive regulations Substances of very high concern (SVHC) according to REACH, Article 57 |
| 75980-60-8 diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide |
| 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out. |

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

Relevant phrases

- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H351 Suspected of causing cancer.
- H360 May damage fertility or the unborn child.
- H360Fd May damage fertility. Suspected of damaging the unborn child.
- H361 Suspected of damaging fertility or the unborn child.
- H411 Toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.

Date of previous version: 07.02.2024

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- SVHC: Substances of Very High Concern

Version number 1.0

Revision: 10.01.2025

Trade name: White UV Cure Ink

vPvB: very Persistent and very Bioaccumulative ATE: Acute toxicity estimate values Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1C: Skin corrosion/irritation – Category 1C Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1B: Skin sensitisation – Category 1B Care. 2: Carcinogenicity – Category 2 Repr. 1B: Reproductive toxicity – Category 1B Repr. 1B: Reproductive toxicity – Category 2 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3 *** Data compared to the previous version altered.** (Contd. of page 9)

- EU ----

Printing date 10.01.2025

2023